

Ventex®

Aurea Drapes



Empresa Company

Passionate about solar architecture

- We are a specialized company in the development of solar protection and finishing's. We contribute to the optimization of interior and exterior spaces, and integrate functional and aesthetic products with the final user in mind.
- We implement innovative production processes and incorporate specific treatment and finishing technologies, to make sure we offer top quality and maximum durability.

Apasionados por la arquitectura solar

- Somos una empresa especializada en el desarrollo de soluciones para protección solar y acabados. Contribuimos a la optimización de espacios interiores y exteriores, e integramos productos funcionales y estéticos enfocados en el usuario final.
- Implementamos procesos de producción innovadores e incorporamos tecnologías específicas en tratamiento y acabados, para asegurar la calidad y durabilidad de todos los materiales utilizados en nuestra fabricación.





Índice Index

12	Abner	106	Tyra
15	Alrik	109	Viggo
18	Askell	113	Vukan
21	Dagny	116	Yrsa
25	Eilif	123	Yorus
27	Einar		
29	Fenrir		
31	Gudrun		
34	Hákon		
36	Hallgram		
40	Kaare		
42	Kjell		
46	Klettur		
49	Lars		
53	Leif		
57	Ossur		
60	Olyg		
62	Prent		
68	Rune		
71	Selkie		
74	Sigríð		
77	Sigurd		
81	Sten		
84	Thora		
87	Torhild		
89	Torsten		
92	Tveir		

Cortinas

Curtains

We have extensive knowledge in the integration of all decoration processes for the manufacture of a novel and high quality final product.

Our great experience allows us to understand each one of the needs of your project, resulting in a platform in which we can offer you unique and personalized results.

Our extensive range of textiles and products allow you to create a perfect balance between style and practicality, giving rise to rooms with a modern contemporary touch or traditional and classic atmospheres.

Each of them, is characterized by the excellence in decoration and avant-garde, giving you beautiful fabrics of great class as well as functional spaces that will improve your quality of life.

We are a combination of design, innovation and precision that manage to meet the highest expectations and aesthetic requirements of our customers.

Tenemos un amplio conocimiento en la integración de todos los procesos de decoración para la fabricación de un producto final novedoso y de alta calidad.

Nuestra gran experiencia, nos permite comprender cada una de las necesidades de su proyecto, dando como resultado una plataforma en la que podemos ofrecerle resultados únicos y personalizados.

Nuestra extensa gama de textiles y productos te permiten crear un perfecto equilibrio entre el estilo y la practicidad, dando lugar a habitaciones con un toque moderno contemporáneo o atmósferas tradicionales y clásicas.

Cada uno de ellos, se caracteriza por la excelencia en decorado y vanguardia, brindándote hermosos tejidos de gran clase así como espacios funcionales que mejorarán tu calidad de vida.

Somos una combinación de diseño, innovación y precisión que logran cumplir con las más altas expectativas y requerimientos estéticos de nuestros clientes.



Simbología Simbology



Lavar a máximo 60°

**Wash at maximum
60°**



Limpieza en seco

Dry cleaning



No secar en secadora

Do not tumble dry



Planchar a
temperatura media

**Iron at medium
temperature**



No usar blanqueador

Do not use whitener



No
Lavar

Do not wash



Innovación textil

Textile innovation

- **Design and innovation.** Inspired in the infinite potential of reusable materials.
- **Diseño e innovación.** Inspirado en el potencial infinito de la reutilización de materiales.
- **Protection against fire.** Our textiles are produced with the most rigorous protection regulations.
- **Protección contra incendios.** Nuestros tejidos se producen con las regulaciones más rigurosas.
- **Indoor air quality.** Identifies products with a low emission that generate a healthy environment.
- **Calidad de aire interior.** Identifica productos con una baja emisión que crean entornos saludables.
- **Trustworthy textiles.** Certification for approved textiles against toxic substances.
- **Textiles de confianza.** Certificación para los tejidos aprobados contra las sustancias dañinas.
- **Against toxic substances.** Our textiles protect the human health and the environment.
- **Contra las sustancias nocivas.** Nuestros tejidos protegen la salud humana y el ambiente.
- **Sustainability parameters.** Methodology that evaluates the construction projects.
- **Parámetros de sustentabilidad.** Metodología que evalúa los proyectos de construcción.
- **High performance.** It is a methodology created for green buildings operation.
- **Alto rendimiento.** Metodología creada para la operación en edificios verdes.
- **Protection against microbes.** Textile solutions for interiors that comply with the ISO 20743 standard.
- **Protección contra los microbios.** Textiles para interiores que cumplen con el estándar ISO 20743.
- **Quality and security.** The ISO 9001 focus in the organization. The ISO 14001 focus in the company.
- **Calidad y seguridad.** El ISO 9001 se enfoca en la organización. El ISO 14001 se enfoca en la empresa.


Certificaciones Certifications



ISO 9001 — ISO 14001

Cortina wave mototizada

Motorized wave curtain



Create a comfortable and innovative atmosphere with this practical wave style curtain.

Enhance the decoration of your room with a style of elegant lines that will give you a perfect balance between light filtration and your artistic side. Protect your privacy by means of a silent system that slides beautifully and potentializes your space.

We specialize in creating custom curtains through perfect planning and precise designs. Crea una atmósfera confortable e innovadora con esta práctica cortina estilo wave.

Realza la decoración de tu habitación con un estilo de líneas elegantes que te brindará un equilibrio perfecto entre la filtración de luz y tu lado artístico. Protege tu privacidad por medio de un silencioso sistema que se desliza maravillosamente y potencializa tu espacio.

Somos especialistas en crear cortinas personalizadas por medio de una planeación perfecta e diseños precisos.

1

Tapa
de motor
**Motor
cover**

2

Soporte
para Riel
**Bracket
/ Track support**

3

Riel
motorizado
Track

4

Carro
guía
Guides

5

Cinta
dentada
Band

6

Motor
para Cortinero
Motor

7

Broches
para corredera
**Track
hooks**

8


Cinta
con broches
**Band
hooks**

9

Contrapeso
inferior
**Counter
weight**

Cortina mototizada tradicional

Traditional motorized curtains



If you are thinking about how to increase the efficiency of your room, it is time to add that touch of innovation.

With the traditional motorized curtain, you will not only give a new aesthetic sense to your space, changing colors and textures, but you will also transform that daily task into an automated work with our revolutionary intelligent system. Enjoy all your privacy without having to move, you just have to press a button to make the curtains unfold or pick up in a harmonious, perfect and silent way.

This system is practical and reliable, guaranteeing a high quality curtain, technology and design.

Si estás pensando en cómo incrementar la eficiencia de tu habitación, es momento de añadirle ese toque de innovación.

Con la cortina tradicional motorizada, no sólo le brindarás un nuevo sentido estético a tu espacio, cambiando colores y texturas, si no también transformarás esa tarea cotidiana en una labor automatizada con nuestro revolucionario sistema inteligente. Disfruta de toda tu privacidad sin necesidad de desplazarte, únicamente debes presionar un botón para hacer que las cortinas se desplieguen o recojan de una manera armónica, perfecta y silenciosa.

Este sistema es práctico y confiable, garantizando una cortina de alta calidad, tecnología y diseño.

- 1

Tapa de Motor
Motor Cover
- 2

Soporte para Riel
Bracket / Track Support
- 3

Riel Motorizado
Track
- 4

Carro Guía
Guides
- 5

Cinta Dentada
Band
- 6

Motor para Cortinero
Motor
- 7

Broches para Corredera
Tracks Hooks
- 8

Cinta con Broches
Band



Abner


Nature

Composición	
Composition	100% Polyester with Acrylic coating
Ancho	
Width	2.80 m
Peso	
Weight	370 g/m ²
Retardante al fuego	
Flame retardant	NFPA701
Solidez del color	
Colour fastness	4 Grade (Bluewool Std)






White



Light Grey



Grey



Slate



Stone



Rockery



Linen




Brown



Driftwood



Feather



Dawn



Moss



Blue



Alrik

Corot

TY2409

Composición

Composition

100% Polyester with Acrylic coating

Ancho

Width

2.80 / 3.00 m

Peso

Weight

380 g/m²

Retardante al fuego

Flame retardant

NFPA701





01 White




02 Rice



03 Stone



04 Maize



05 Nature




06 Slate




07 Grey



08 Smoke



09 Blue



10 Coffee



11 Brown



12 Black



Askell

TY2502

Composición

Composition

100% Polyester

Ancho

Width

Peso

Weight

2.80 / 3.20 m

350 g/m²

Retardante al fuego

Flame retardant

NFPA701

Solidez del color

Colour fastness

4 Grade (Bluewool Std)






Nature



Steel



Oyster



Grey



Cement



Smoke



Grass



Blue



Stone



Diamond



Chrome



Coffee



Black




Dagny

LonMa


TY2404

Composición	
Composition	100% Polyester with Acrylic coating
Ancho	
Width	2.80 - 3.00 m
Peso	
Weight	400 g/m ²
Retardante al fuego	
Flame retardant	NFPA701







Bleach White



White



Beige




Ivory




Rice




Grey




Ash



Smoke




Sponge



Putty



Slate



Rockery



Brinde




Feather




Mist




Dawn



Steel



Onyx



Linen



Black

Eilif

TY2303

Composición

Composition

100% Polyester with Acrylic coating

Ancho

Width

2.80 m

Peso

Weight

370 g/m²

Retardante al fuego

Flame retardant

NFPA701

Solidez del color

Colour fastness

4 Grade (Bluewool Std)





TY2303-01 cream




TY2303- 02 sand




TY2303- 03 Rockery



TY2303- 04 titanium



TY2303- 05 light grey



TY2303- 06 grey



Einar

Mira

Composición

Composition

100% Polyester with Acrylic coating

Ancho

Width

2.80 m

Peso

Weight

320 g/m²

Retardante al fuego

Flame retardant


NFPA701

Solidez del color

Colour fastness

4 Grade (Bluewool Std)






Ivory




Rice




Feather




Driftwood



Light Grey



Grey



String



Fenrir

Dimout 220HG

TY2407

Composición	
Composition	100% Polyester
Ancho	
Width	3.00 / 3.20 m
Peso	
Weight	220 g/m²
Retardante al fuego	
Flame retardant	NFPA701






01 Nature



02 Yellow




03 Brow



04 String



05 Sky



06 Putty



07 Black



Gudrun

Oracle

TY2408

Composición	
Composition	100% Polyester with Acrylic coating
Ancho	
Width	2.80 / 3.00 m
Peso	
Weight	320 g/m²
Retardante al fuego	
Flame retardant	NFPA701
Solidez del color	
Colour fastness	4 Grade (Bluewool Std)





01 White



02 Rice



03 Grey



04 Stone



05 Pink




05 Indigo




07 Smalt




08 Coffee



09 Blue



10 Smoke



11 Black




Hákon

Haitang

Composición	
Composition	100% Polyester with Acrylic coating
Ancho	
Width	2.80 m
Peso	
Weight	350 g/m ²
Retardante al fuego	
Flame retardant	NFPA701
Solidez del color	
Colour fastness	4 Grade (Bluewool Std)






Ecreu



Rockery



Stone




String



Grey



Onyx



Black



Hallgrim

TY2505

Composición

Composition

100% Polyester

Ancho

Width

Peso

Weight

2.80 / 3.20 m

380 g/m²

Retardante al fuego

Flame retardant

NFPA701

Solidez del color

Colour fastness

4 Grade (Bluewool Std)




**STANDARD
100**



White



Ecru



Grey



Steel



Ivory



Nature



Rockery



Image



Taupe



wood



Smoke




Ash




Black



Oyster




Light Grey



Dark Grey



Stone



Cement



Kaare

Dimout 250G

TY2406

Composición	
Composition	100% Polyester
Ancho	
Width	3.00 / 3.20 m
Peso	
Weight	250 g/m²
Retardante al fuego	
Flame retardant	NFPA701






01 Beige



02 Sand



03 Grey



04 Smalt



05 Smoke



06 Black



Kjell

LonWen

TY2403

Composición	
Composition	100% Polyester with Acrylic coating
Ancho	
Width	2.80 – 3.00 m
Peso	
Weight	370 g/m ²
Retardante al fuego	
Flame retardant	NFPA701





White



Beige



Ivory



Slate




Putty




Paloma




Stone



Ash




Brownie



Mist




Sponge



Titanium




Moss




Smoke




Pawn



Grey



Steel



Onxy



Klettur

Linen

Composición

Composition

85% Polyester- 15% Linen with Acrylic coating

Ancho

Width

3.00 m

Peso

Weight

340 g/m²

Retardante al fuego

Flame retardant

NFPA701

Solidez del color

Colour fastness

4 Grade (Bluewool Std)





Cotton



Natural



Wood



Slate




Stone



Rockery



String



Domino



Driftwood



Feather




Dawn



Moss



Duckegg



Brindle



Brown



Lars

HC1803A1

Composición

Composition

100% Polyester with Acrylic coating

Ancho

Width

3.00 m

Peso

Weight

340 g/m²

Retardante al fuego

Flame retardant

NFPA701

Solidez del color

Colour fastness

4 Grade (Bluewool Std)





HC1803A1-1



HC1803A1-2



HC1803A1-3



HC1803A1-4



HC1803A1-5



HC1803A1-6



HC1803A1-7




HC1803A1-8



HC1803A1-9




HC1803A1-10




HC1803A1-11



HC1803A1-12



HC1803A1-13



HC1803A1-14



HC1803A1-15



HC1803A1-16



HC1803A1-17




Leif

LonHen

TY2401

Composición	
Composition	100% Polyester with Acrylic coating
Ancho	
Width	2.80 – 3.00 m
Peso	
Weight	370 g/m ²
Retardante al fuego	
Flame retardant	NFPA701





White



Ecru



Beige




Ivory




Rice




Silver




Mist




Slate




Diamond



Smoke




Sepia



Stone



Sponge



Coin



Almond



Oatmeal



Steel



Driftwood



Pebble



Black



Ossur

HC1750B

Composición

Composition

100% Polyester with Acrylic coating

Ancho

Width

3.00 m

Peso

Weight

340 g/m²

Retardante al fuego

Flame retardant

NFPA701

Solidez del color

Colour fastness

4 Grade (Bluewool Std)





HC1750B-1




HC1750B-2



HC1750B-3



HC1750B-4



HC1750B-5



HC1750B-6



HC1750B-7



HC1750B-8



HC1750B-9



HC1750B-10




HC1750B-11



HC1750B-12



HC1750B-13



HC1750B-14



HC1750B-15



Olyg

Palawan

Composición

Composition

100% Polyester with Acrylic coating

Ancho

Width

3.00 m

Peso

Weight

340 g/m²

Retardante al fuego

Flame retardant


NFPA701

Solidez del color

Colour fastness

4 Grade (Bluewool Std)





String



Nature



Wood



Brindle



Prent

Printed Collection

Composición

Composition

100% Polyester with Acrylic coating

Ancho

Width

Peso

Weight

2.80 / 3.00 m

320 g/m²

Retardante al fuego

Flame retardant

NFPA701

Solidez del color


Colour fastness

4 Grade (Bluewool Std)






TY01



TY02




TY03



TY04



TY05



TY06



TY07



TY08



TY09



TY10



TY11



TY12



TY13



TY14



TY15




TY16



TY17



TY18



TY19



TY20



TY21



TY22



TY23



TY24



TY25



TY26



TY27





Rune

HC24001

Composición	
Composition	100% Polyester with Acrylic coating
Ancho	
Width	3.00 m
Peso	
Weight	340 g/m ²
Retardante al fuego	
Flame retardant	NFPA701
Solidez del color	
Colour fastness	4 Grade (Bluewool Std)







HC24001-1




HC24001-2



HC24001-3




HC24001-4




HC24001-5




HC24001-6




HC24001-7




HC24001-8




HC24001-9




HC24001-10




HC24001-11




HC24001-12




HC24001-13



HC24001-14



HC24001-15



Selkie

HC1616

Composición	
Composition	100% Polyester with Acrylic coating
Ancho	
Width	2.80 – 3.00 m
Peso	
Weight	400 g/m ²
Retardante al fuego	
Flame retardant	NFPA701





HC1616-1



HC1616-2



HC1616-3



HC1616-4




HC1616-5



HC1616-6




HC1616-7




HC1616-8




HC1616-9



HC1616-10



HC1616-11




HC1616-12



HC1616-13



HC1616-14



HC1616-15



Sigrid

HC1829

Composición	
Composition	100% Polyester with Acrylic coating
Ancho	
Width	3.00 m
Peso	
Weight	340 g/m ²
Retardante al fuego	
Flame retardant	NFPA701
Solidez del color	
Colour fastness	4 Grade (Bluewool Std)





HC1829-1



HC1829-2



HC1829-3



HC1829-4



HC1829-5




HC1829-6



HC1829-7



HC1829-8




HC1829-9



HC1829-10



HC1829-11



HC1829-12



HC1829-13



HC1829-14



HC1829-15



Sigurd

LonPin

TY2402

Composición	
Composition	100% Polyester with Acrylic coating
Ancho	
Width	2.80 – 3.00 m
Peso	
Weight	360 g/m ²
Retardante al fuego	
Flame retardant	NFPA701






White



Beige



Ivory



Slate



Pebble



Sand



Coin



Fossil




Angora



Paloma



Reed



Otter



Sesame




Brown




Rockery




Grey



Mouse



Ash



Bison



Black



Sten

TY2504

Composición	
Composition	100% Polyester
Ancho	
Width	2.80 / 3.20 m
Peso	
Weight	300 g/m ²
Retardante al fuego	
Flame retardant	NFPA701
Solidez del color	
Colour fastness	4 Grade (Bluewool Std)



STANDARD
100



White



Ecru



Grey



Steel



Stone



Chrome




Taupe



Angora




Smoke



Dark Grey



Rockery



Cement



Black



Thora

Divino FR

TY2405

Composición	
Composition	100% Polyester
Ancho	
Width	3.00 / 3.20 m
Peso	
Weight	250 g/m ²
Retardante al fuego	
Flame retardant	NFPA701






01 Nature




02 Light Blue




03 Stone



04 Maize



05 Pink



06 Indigo



07 Smalt




08 Smoke



09 Slate



10 Sepia



11 Sea



12 Black



Torhild

TY2503

Composición

Composition

100% Polyester

Ancho

Width

Peso

Weight

2.80 / 3.00 m

410 g/m²

Retardante al fuego

Flame retardant

NFPA701

Solidez del color

Colour fastness

4 Grade (Bluewool Std)



**STANDARD
100**



Nature



Grey



Taupe



Tobacco



Smoke



Cement



Torsten

TY2301 - TY2302

Composición

Composition

100% Polyester with Acrylic coating

Ancho

Width

3.00 m

Peso

Weight

340 g/m²

Retardante al fuego

Flame retardant

NFPA701

Solidez del color

Colour fastness

4 Grade (Bluewool Std)






TY2301-01 Sand



TY2301-02 Rockery



TY2301-03 Fossil




TY2301-04 Smoke



TY2302-01 Beige




TY2302-02 Titanium





TY2302-03 Rice



TY2302-04 Brown



TY2302-05 Mist



TY2302-06 Pebble

TY2302-07 Quartz



Tveir

Double

Composición	
Composition	100% Polyester with Acrylic coating
Ancho	
Width	2.80 / 3.00 m
Peso	
Weight	320 g/m ²
Retardante al fuego	
Flame retardant	NFPA701
Solidez del color	
Colour fastness	4 Grade (Bluewool Std)






9341-1



9341-2




9341K-3



9341K-4




9341K-5



9341K-7



9584-2



9584-1



9584-3



9584-4



9305-1



9305-2



9305-39




9305-34




9305-31



9366K-1



9366K-2



9366K-4



9585-2



9585-1



9585-15



9585-19



9585-17



9585-25




9585-3



9365-1



9365-2



9365-15




9365-4



9908-1



9908-2



9908-3



9908-5



9217-1




9217-2



9217-3



9217-5



9899-1



9899-2



9899-3



9899-5



9225-1




9225-2



9225-3



9225-5



9528-3



9528-1



9431-4



9431-1

Tveir

Rear



9326-1



9326-2



9326-41



9326-61



9326-66



9326-53



9370-1



9370-2



9370-3



9370-4




9345-1



9345-2



9345-4



9345-7



9124-1



9124-6



9124-7




9371-1



9371-2



9878-7A




9878-16



9120-1




9120-2




9527-1



9527-2



9683-1



9683-2



9649-2



9649-1



9510-1



9118-1




9118-2




9119-1



9119-2




9121-1




9121-2



9655-1




9553-1




9553-2



9306-1




9306-2



9656-2



9656-1



9323-3



9323-4



9327-1



9511-1A



9511-2



Tyra

HC23005

Composición

Composition

100% Polyester with Acrylic coating

Ancho

Width

3.00 m

Peso

Weight

340 g/m²

Retardante al fuego

Flame retardant

NFPA701

Solidez del color

Colour fastness

4 Grade (Bluewool Std)





HC23005-1



HC23005-2



HC23005-3



HC23005-4



HC23005-5



HC23005-6




HC23005-7



HC23005-8



HC23005-9




HC23005-10




HC23005-11



HC23005-12



HC23005-13



HC23005-14



Viggo

HC23001

Composición

Composition

100% Polyester with Acrylic coating

Ancho

Width

3.00 m

Peso

Peso

Weight

340 g/m²

Retardante al fuego

Flame retardant

NFPA701

Solidez del color


Colour fastness

4 Grade (Bluewool Std)







HC23001-1




HC23001-2




HC23001-3




HC23001-4




HC23001-5




HC23001-6



HC23001-7



HC23001-8




HC23001-9




HC23001-10




HC23001-11




HC23001-12



HC23001-13




HC23001-14



HC23001-15



HC23001-16



HC23001-17



HC23001-18



Vukan

Manhattan

Composición

Composition

100% Polyester with Acrylic coating

Ancho

Width

3.00 m

Peso

Weight

450 g/m²

Retardante al fuego

Flame retardant

NFPA701





White



Grey



Stone



String



Wood



Putty



Sand



Onyx



Brown



Yrsa

Nightfall

Composición

Composition

100% Polyester with Acrylic coating

Ancho

Width

1.40m, 1.50m, 2.80m, 3.00m

Peso

Weight

260 g/m²

Retardante al fuego

Flame retardant

NFPA701





White

3 Pass Flocking BO



Cream

3 Pass Flocking BO



Putty

3 Pass Flocking BO



Beige

3 Pass Flocking BO



Angora

3 Pass Flocking BO



Taupe

3 Pass Flocking BO



Otter

3 Pass Flocking BO



Feather

3 Pass Flocking BO



Smoke

3 Pass Flocking BO



Sand

3 Pass Flocking BO



Earth

3 Pass Flocking BO



Tobacco

3 Pass Flocking BO



Silver

3 Pass Flocking BO




Coin

3 Pass Flocking BO



Steel

3 Pass Flocking BO



Onyx

3 Pass Flocking BO




Carbon

3 Pass Flocking BO




Cobblestone

3 Pass Flocking BO



Stucco

3 Pass Flocking BO



Brownie

3 Pass Flocking BO



Java

3 Pass Flocking BO



White

4 Pass Silicon BO



Cream

4 Pass Silicon BO



Putty

4 Pass Silicon BO



Beige

4 Pass Silicon BO



Angora

4 Pass Silicon BO




Taupe

4 Pass Silicon BO



Otter

4 Pass Silicon BO




Feather

4 Pass Silicon BO



Smoke

4 Pass Silicon BO



Sand

4 Pass Silicon BO



Earth

4 Pass Silicon BO



Tobacco

4 Pass Silicon BO



Silver

4 Pass Silicon BO



Steel

4 Pass Silicon BO



Onyx

4 Pass Silicon BO



Carbon

4 Pass Silicon BO




Brownie

4 Pass Silicon BO




Java

4 Pass Silicon BO



PFP9921M3

3 Pass Flocking BO



PFP9921M4

4 Pass Silicon BO



Yorus

Autumn

Composición

Composition

100% Polyester with Acrylic coating

Ancho

Width

2.80m, 3.00m

Peso

Weight

375 g/m²

Retardante al fuego

Flame retardant

NFPA701





Ficelle



Stone




Naturel



Glacier



Janue



Terra



Emeraud



Sours



Jeans



Anthracite

The background image shows a modern interior with a large window. On the left, there are light grey curtains. The window frame is white, and a white radiator is visible below it. Outside the window, there are green trees and a building. A dark blue semi-transparent rectangle is overlaid on the center of the image, containing the Ventex logo and website URL.

Ventex[®]

www.ventexl.com